



Coding stage:

Lung Cancer

Liesbet Van Eycken

Contents

IICC, TNM 8th edition, 2016

Preface	XII
Acknowledgments	XIV
Organizations Associated with the TNM System	XV
Members of UICC Committees Associated with the TNM System	XVI
Section Editors	XVII

Introduction

Head and Neck Tumours

Lip and Oral Cavity	18
Pharynx	22
Larynx	31
Nasal Cavity and Paranasal Sinuses	36
Unknown Primary – Cervical Nodes	40
Malignant Melanoma of Upper Aerodigestive Tract	45
Major Salivary Glands	47
Thyroid Gland	51

Digestive System Tumours

Oesophagus and Oesophagogastric Junction	57
Stomach	63
Small Intestine	67
Appendix	70
Colon and Rectum	73
Anal Canal and Perianal Skin	77
Liver	80
Intrahepatic Bile Ducts	83
Gallbladder	85
Perihilar Bile Ducts	87
Distal Extrahepatic Bile Duct	89
Ampulla of Vater	91

Pancreas	93
Well-Differentiated Neuroendocrine Tumours of the Gastrointestinal Tract	96

Lung, Pleural, and Thymic Tumours

Lung	106
Pleural Mesothelioma	113
Thymic Tumours	115

Tumours of Bone and Soft Tissues

Bone	120
Soft Tissues	124
Gastrointestinal Stromal Tumour (GIST)	127

Skin Tumours

Carcinoma of Skin	133
Skin Carcinoma of the Head and Neck	136
Carcinoma of Skin of the Eyelid	139
Malignant Melanoma of Skin	142
Merkel Cell Carcinoma of Skin	147

Breast Tumours

Gynaecological Tumours

Vulva	161
Vagina	164
Cervix Uteri	166
Uterus – Endometrium	171
Uterine Sarcomas	175
Ovarian, Fallopian Tube, and Primary Peritoneal Carcinoma	179
Gestational Trophoblastic Neoplasms	184

Urological Tumours

Penis	188
Prostate	191
Testis	195
Vagina	199

Renal Pelvis and Ureter	202
Urinary Bladder	204
Urethra	208

Adrenal Cortex

Ophthalmic Tumours	215
Carcinoma of Conjunctiva	216
Malignant Melanoma of Conjunctiva	218
Malignant Melanoma of Uvea	221
Retinoblastoma	226
Sarcoma of Orbit	230
Carcinoma of Lacrimal Gland	232

Hodgkin Lymphoma

Non-Hodgkin Lymphomas

Essential TNM

Paediatric Tumours	247
Gastrointestinal Tumours	247
Bone and Soft Tissue Tumours	248
Gynaecological Tumours	249
Urological Tumours	250
Ophthalmic Tumours	251
Malignant Lymphoma	252
Central Nervous System	252

Lung Cancer

- International Association for the Study of Lung Cancer (IASLC) Staging Project
- Topography C34 (not primary trachea)
- For the purpose of TNM: lung considered a single organ (not paired)
- Histology
 - NSCLC, SCLC and bronchopulmonary carcinoid tumours

Lung Cancer: T-category

Tis: includes adenocarcinoma in situ and squamous carcinoma in situ

T1 Tumour ≤ 3 cm in greatest dimension, surrounded by lung or visceral pleura, without bronchoscopic evidence of invasion more proximal than the lobar bronchus (i.e., not in the main bronchus)

T1mi Minimally invasive adenocarcinoma (solitary adenoca ≤ 3 cm, predominately lepidic pattern, ≤ 5 mm invasion)*

T1a Tumour ≤ 1 cm in greatest dimension

T1b Tumour > 1 cm but ≤ 2 cm in greatest dimension

T1c Tumour > 2 cm but ≤ 3 cm in greatest dimension

* Solitary adenocarcinoma (not more than 3 cm in greatest dimension), with a predominantly *lepidic pattern* and not more than 5 mm invasion in greatest dimension in any one focus.

T1a = also: The uncommon superficial spreading tumour of any size with its invasive component limited to the bronchial wall, which may extend proximal to the main bronchus => T1a.

Lung Cancer: T-category

T2 Tumour >3 cm but ≤5 cm; or tumour with *any* of the following features*

..Involves main bronchus regardless of distance to the carina, but without involvement of the carina

•• Invades visceral pleura

•• Associated with atelectasis or obstructive pneumonitis that extends to hilar region either involving part of or entire lung

T2a Tumour >3 cm but ≤4 cm in greatest dimension

T2b Tumour >4 cm ≤5 cm in greatest dimension

* T2 tumours with these features are classified T2a if 4 cm or less, or if size cannot be determined and T2b if greater than 4 cm but not larger than 5 cm.

T3 Tumour >5 cm but ≤7 cm in greatest dimension or one that directly invades any of the following: parietal pleura, chest wall (including superior sulcus tumours) phrenic nerve, parietal pericardium; or *separate tumour nodule(s) in the same lobe as the primary*

T4 Tumour >7 cm or of any size that invades any of the following: diaphragm, mediastinum, heart, great vessels, trachea, recurrent laryngeal nerve, oesophagus, vertebral body, carina; *separate tumour nodule(s) in a different ipsilateral lobe to that of the primary*


N-category values: Location

- **Lung**

N1 ipsilateral peribronchial and/or hilar and intrapulmonary nodes

N2 ipsilateral mediastinal and/or subcarinal nodes

N3 contralateral mediastinal, hilar, scalene or supraclavicular nodes



Superior Mediastinal Nodes

- 1 Highest Mediastinal
- 2 Upper Paratracheal
- 3 Pre-vascular and Retrotracheal
- 4 Lower Paratracheal (including Azygos Nodes)

N₁=single digit, ipsilateral
N₂=single digit, contralateral or supraclavicular

Aortic Nodes


- 5 Subaortic (A-P window)
- 6 Para-aortic (ascending aorta or phrenic)

Inferior Mediastinal Nodes

- 7 Subcarinal
- 8 Paraesophageal (below carina)
- 9 Pulmonary Ligament

N₁ Nodes

- 10 Hilar
- 11 Interlobar
- 12 Lobar
- 13 Segmental
- 14 Subsegmental



M-category

- **M0** No distant metastasis
- **M1** Distant metastasis
 - M1a **Separate tumour nodule(s) in a contralateral lobe**; tumour with pleural or pericardial nodules or *malignant pleural or pericardial effusion*
 - M1b Single extrathoracic metastasis in a single organ or non regional node
 - M1c Multiple extrathoracic metastasis in a single or multiple organs

-
- Exercises TNM lung cancer
 - <https://create.kahoot.it/details/lung-exercises/821d042d-e35e-4f8b-9c07-665176f359cc>